GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - MA&UD Department - Allegations of non functioning of demonstration project – High Rate Bio-Methanization Plant established for power generation from vegetable waste and slaughter house waste – Wasteful expenditure to tune of Rs.348.65 lakhs - Departmental proceedings initiated against Sri D.Diwakar Rao, the then Chief Engineer (Retd) and four (4) others of Vijayawada Municipal Corporation under Rule-20 of APCS (CC&A) Rules, 1991 read with Rule-9 of A.P. Revised Pension Rules, 1980 - Appointment of Sri J.V.Rama Krishna, Superintending Engineer, Vijayawada Municipal Corporation as Presenting Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II.1) DEPARTMENT

G.O.RT.No. 300 **Dated: 09-04-2019**

Read the following:-

1) From General Administration (V&E) Department, Appraisal Report No.93 (C.No.691/V&E/D1/2011), dated.18.05.2015.
2) G.O.Rt.Nos.997 to 1002, MA&UD (Vig.II.1) Department, dated.29.10.2018.
3) G.O.Ms.Nos.345 & 346, MA&UD (Vig.II.1) Department, dated.29.10.2018.
4) Written Statement of Defence of the Charged Officers viz., Sri G.Yohan, the then S.E., Sri P.L.N.Kartic, the then Dy.E.E., Sri D.Sri Rama Chandra Murthy, the then E.E., and Sri D.Divakar Rao, the then Chief Engineer (retired) of Vijayawada Municipal Corporation.
5) G.O.Rt.No.299, MA&UD (Vig.II) Department, dated.09.04.2019.

***

O R D E R:

Whereas, an inquiry under Rule-9 of A.P. Revised Pension Rules, 1980 read with Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri D.Diwakar Rao, the then Chief Engineer (Retired), Sri G.Yohan, the then Superintending Engineer, Sri D.Sreerama Chandra Murthy, the then Executive Engineer, Sri PLN Karthic, the then Deputy Executive Engineer and Sri Md.Shaik Abdul Rahiman, the then Assistant Engineer (Retired) of Vijayawada Municipal Corporation for allegations of non functioning of demonstration project – High Rate Bio-Methanization Plant established for power generation from vegetable waste and slaughter house waste in Vijayawada Municipal Corporation.

2. In the reference 5th read above, orders were issued appointing Sri N.Durga Prasad, Chief Engineer, GVMC., Vishakhapatnam as an Enquiry Officer in this case.

3. And whereas, Government after examination of the matter, it is considered that a Presenting Officer should be appointed to present the case before the enquiry officer on behalf of the disciplinary authority in support of the Articles of Charges.

(P.T.O)

4. Now, therefore, the disciplinary authority, in exercise of powers conferred by clause (c) of sub-rule (5) of Rule 20 of the A.P. Civil Services (CC&A) Rules, 1991, hereby appoints Sri J.V.Rama Krishna, Superintending Engineer, Vijayawada Municipal Corporation as Presenting Officer.

5. The Presenting Officer shall obtain the connected records in the above case, from the Office of the Engineer-In-Chief (PH), A.P., Guntur and present the case before Enquiry Officer on behalf of Disciplinary Authority.

6. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri J.V.Rama Krishna, Superintending Engineer & Presenting Officer,
Vijayawada Municipal Corporation – **through** the ENC (PH), A.P., Guntur.
Sri N.Durga Prasad, Chief Engineer & Enquiry Officer,
GVMC., Vishakhapatnam - **through** the ENC (PH), A.P., Guntur.
Sri D.Diwakar Rao, the then Chief Engineer (now retired)
- **through** the ENC (PH), A.P., Guntur.
Sri G.Yohan, the then Superintending Engineer
- **through** the ENC (PH), A.P., Guntur.
Sri D.Sreerama Chandra Murthy, the then Executive Engineer
- **through** the ENC (PH), A.P., Guntur.
Sri PLN Karthic, the then Dy. Executive Engineer
- **through** the ENC (PH), A.P., Guntur.
Sri Md.Shaik Abdul Rahiman, the then Assistant Engineer (now retired)
- **through** the ENC (PH), A.P., Guntur.
The Engineer-In-Chief (PH), A.P., Guntur.

Copy to:

The Director General, G.A. (V&E) Department, A.P., Vijayawada.
The Secretary to A.P.V.C., 5th Building, A.P. Secretariat, Velagapudi.
The Municipal Commissioner, Vijayawada Municipal Corporation, Krishna District.
SF / SC.

// FORWARDED BY ORDER //

SECTION OFFICER.